ToLEDo LED Striplight

TOLEDO ST 300MM 3.5W 280LM S14S SL

0026837

Range features

LED

PRODUCT OVERVIEW

Light colour	827 Homelight
Ordering number	0026837
Technology	LED
Average life (Rated) (h)	25000
Energy class	A+
Lamp finish	frosted
Lamp shape	Linear
Dimmable	no
Cap/Base	S14S
Type	ToLEDo Striplight
EAN code	5410288268378
CRI (Ra)	80
Beam angle(°)	
Colour temperature (K)	2700
Luminous flux (Rated) (lm)	280
Efficacy (Rated) (lm/w)	80
Watt (Nominal) (W)	3.5
Equivalent watt (W)	35
Voltage (V)	220-240

ToLEDo LED Striplight

TOLEDO ST 300MM 3.5W 280LM S14S SL

0026837

DATA TABLE

General data

Ordering number	0026837
Technology	LED
Energy saving lamp	Yes
Average life (Nominal) (h)	25000
Average life (Rated) (h)	25000
Energy class	A+
Lamp finish	frosted
Lamp shape	Linear
Dimmable	no
Cap/Base	S14S
Type	ToLEDo Striplight
EAN code	5410288268378
Product name	TOLEDO ST 300MM 3.5W 280LM S14S SL
Lamp mercury content (mg)	0
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Control gear required	No
Intended purpose	General lighting
No. of switching cycles before premature failure (min)	20000
Special purpose lamp	No
Transformer required	No
Optimal operating condition (°C)	25

Optical data

Light colour	827 Homelight
CRI (Ra)	80
Beam angle(°)	
Suitable for accent lighting	no
Colour Consistency	6
Colour temperature (K)	2700
Lumen maintenance at end of nominal life (%)	70
Luminous flux (Rated) (lm)	280
Luminous flux (Nominal) (lm)	280
Adjustable chromaticity	No

ToLEDo LED Striplight

TOLEDO ST 300MM 3.5W 280LM S14S SL

0026837

Electrical data

kWh per 1000 hours burning time	4
Efficacy (Rated) (lm/w)	80
Watt (Rated) (W)	3.5
Equivalent watt (W)	35
Watt (Nominal) (W)	3.5
Voltage (V)	220-240
Current (A)	35
Drive current (mA)	35
Lamp power factor	0.5

Physical data

Lamp Length (mm) - C/L	300
Max. Lamp Diameter (mm) - D	26
Lamp dimension equal to filament lamp equivalent	yes
Designed for optimum use in non standard conditions	No
Fluorescent lamp replacement	Yes

ENERGY LABEL